Revenue (1927) Department.

Ms SERIES.

G.O. No. 1367

DATED 16-7-27

[Despatch Abstract.]

Irrigation (South Kanara) Gurpur river - pumping installation

Thyampa Shenave - permission accorded.

Office of the Chief Engineer for Irrigation. 62/47

SECRETARY TO ... 7 APR 1927

Endorsement No.595/27-B-2, dated the 6th April 1927.

Pumping - Mangalore - South Kanara - Installation for irrigation
Lands near the Gurpur river.

--

Read:- From the Board of Revenue, Land Revenue and Settlement,
Mis. No.202 dated the 22nd January 1927.

Submitted to Government.

2. The Superintending Engineer who was consulted in the matter, reports that the interests of the ryots lower down the river will not be affected in any way by the proposed installation of the plant at the site suggested, and I agree with him.

3. If the permission asked for is granted, the ryot will have to execute an agreement in the form appended to G.O.No. 295 I. dated 17-10-1919.

V. Ramaswami
6.4.27

G.R.
6/4

for Chief Engineer for Irrigation

To the Secretary to Government,
Public Works and Labour Department,
with the Board's letter and a sketch.

PROCEEDINGS
MEMORANDUM **OF THE** Board of Revenue, Land Revenue and Settlement.

Post Box No. *Telegraphic Address*
Name N.Macmichael Esquire, C.S.I., I.C.S.,
Commissioner of Land Revenue and Settlement.
Misc., *No.* 202, *dated* the 22nd January 1927.

Short title

Read the following :—

Letter from the Collector of South Kanara, Ref.No.B-1-9701/26 dated the 9th January 1927.

ENGINEER FOR IRRIGATION
B Section.
29 JAN 1927
C. No. 595
P.W.D., MADRAS

Irrigation - Lands near the Gurpur River - Installation of a pumping machine - permission sought.

SUPERINTENDING ENG...
456
COIMB...

1/357

The Deputy Registrar of Co-Operative Societies, VIII Circle, Coimbatore, wrote to me that an irrigation society was proposed to be organized at Gurpur to enable the ryots to get the necessary engine and pump for the purpose of pumping out water from the Gurpur river for the irrigation of their lands and that before a Society was organized, the Industrial Department had been moved to lend an engine and pump to a prominent ryot viz.,Thyampa Shenava to serve as a demonstration to the ryots and enquired if there was any objection to this. The Director of Industries proposes to instal the pumping plant temporarily for demonstration purposes at adur Gundi' in Thenka Ulipady village of the Mangalore Taluk for a period of about 6 months. The capacity of the plant is said to be about 1,50,000 gallons per day of eight hours. The Public Works Assistant Executive Engineer, Northern Sub Division, who was consulted in the matter has no objection to this. The neighbouring ryots who were examined by the Tahsildar also have no objection. I request that permission to Thyampa Shenava of Tenka Ulipadi village to instal and utilize the pumping apparatus may be granted. A copy of his statement and a sketch of the locality are herewith submitted.

- - - -

Copy of statement of Thyamma Shevana of Tenka Ulipadi village

Name - Thyampa Shenava, nephew of Puva Sambali of Tenka Ulipadi village taken on 13th November 1926.

-:-

I wish to have permission to take water from the Gurpur river by a six inch pump which will be installed on my vaidegeni land, I do not know the survey number. The pump will be installed in my vaidegeni field on the bank of the river, by the Industrial Engineer, Department of Industries or someone on his behalf. I shall control the distribution of the water. It is intended to irrigate above 75 muras seed capacity fields of which 40 muras seed capacity belong to me and the rest to others. I wish to take water in this way for seven months from now until the middle of May 1927. If ordered I am willing to pay for the water taken I have no idea how much water I shall take.

Read over and admitted to be correct-ly recorded.

(Sd)C.W.ELLIS, 13-11-1926.
Collector,

- - - -

RESOLUTION.

Irrigation - (South Kanara) - Gurpur river - pumping installation - permission - Collector's proposals - Forwarded to the Chief Engineer for Irrigation.

-:-

Forwarded to the Chief Engineer for Irrigation.

2. The Board has no objection to sanction, being given to the proposed pumping installation.

(True Extract)

(Sd)W. SCOTT BROWN,
Secretary.

To the Chief Engineer for Irrigation, with a sketch.

- - - -

Forwarded.

(By Order)

27.1.27
Superintendent.

District = South Kanara
Taluk = Mangalore

3 Village { No 112
Name Tenka ulipa



Scale 1/5 inch = One chain

37/10 - [illegible]

A [illegible]

18/2. 4. 8. 12. 14. 15 / 37/4. 8. 20. 31. 32 – Kadim Nanja lands of Dypu fuma mother of Thyampu Senava. now in t enjoyment of Thyampu Senava.

18/3. 5. 7. 13 / 37/5. 7. 10. 15. 19. 23. 24. 25 – Kadim Nanja lands of Mana Moha hold on Vaide geni by Thyampu Sena

Total extent of Nanja lands now in the enjoyment of Thyampu Senava.

21-32
46-06
67-38 a



True tracing
M. Koragappa
12/1/27
Draftsman

O. M. No. 1614 B/27. d/ 25.4.27

Irrigation – South Kanara – Gurpur Pumping Installation – Ref. B.O. Mis. No 202 d/ 22.1.27

The Board notes & requests to report on the following points:—

(1) during what months the pump is to be worked and

(2) the charge to be made for water.

25.4.27

The Board notes ([illegible])

CA 29.4.27

24.4.27

25.4.27

C F. 81

Revenue DEPARTMENT.

ASST. SECRETARY TO GOVT. 10 JUN 1927 REVENUE DEPARTMENT

CURRENT No. 2213 B

Received .... 192 Registered 10-6- 1927

B

12/6/27

Subject.

Irrigation (South Kanara) - Gurpur river - Pumping installation - Report submitted.

ENCLOSURES

....

....

are copies ....

Resolution No. Misc. 1492

Station Madras, *Dated the* 6th June 1927

From

W.Scott Brown Esq., I.C.S.,

Secretary Land Revenue and
~~The~~ Board of Revenue, ~~Revenue~~ Settlement, ~~etc~~.
~~Separate Revenue~~.

N.Macmichael Esq., C.S.I., I.C.S.,
Commissioner of Land Revenue and Settlement.

~~[illegible]~~

~~[illegible]~~

Read the following:-

Letter from E.M.Gawne Esq., I.C.S., Collector of South Kanara, R.O.C.No. 9701-26-B1 dated the 13th May 1927.

RESOLUTION

Reference - Government memorandum No. 1614-B-27-1, Revenue, dated 25th April 1927.

The South West monsoon will supply ample rain from June to September. The North East monsoon is precarious. The Collector reports that water may be required for irrigation purposes from the river from November to May for 6 months. The pumping installation will therefore be worked from November to May.

2. As regards the charge to be made for the water the Board begs to report that no charge can be levied in the South

South Kanara district during the currency of the present settlement. The attention of Government is invited to paragraphs 17 and 20 of the Settlement Notification for the District approved in G.O.No. 917 Revenue, dated 9th October 1902. Paragraph 17 says that there will be no second crop charge during the settlement on lands which at the Settlement, are not assessed at the consolidated rates. Paragraph 20 says that the settlement will be for a period of 30 years during which period no extra charge will be made on 'dry' converted into 'wet' or 'garden' or on 'wet' converted into 'garden' or on 'single crop' wet land converted into 'Double crop wet'.

3. The Collector of South Kanara reports that there are no irrigation works in the district. Ryots are permitted to take water from rivers for irrigation by putting up temporary dams without payment of any extra charge subject only to their obtaining a licence. The usual conditions imposed in such licenses are:-

(i) that the licensee shall be responsible for any loss caused to Government or to any private party by the construction of the dam;

(ii) that he shall remove the dam without claiming compensation whenever required to do so by Government.

(iii) that the dam shall be of only rough stone and earth.

(iv) that he shall remove the dam before 31st May every year ,construct it only after 31st August.

(v) that the permission is given without prejudice to the rights of Government to construct any works that may be deeme necessary hereafter and to charge for water supplied from those works.

(vi) that the permission is not to affect the right of Gover -ment to charge after the currency of the present settlement has expired for water supplied by means of the structure now allow to be constructed.

The Collector reports that it is most improbable that Government will ever have to undertake an irrigation work on this river and considers that as Government rights are safeguarded and as this is the first enterprise of its kind it

should

should not be discouraged. The Board agrees with him. It is enough if the owner of the installation is required to take out a license with similar conditions.

** ** **

(True extract

7/6

Secretary.

To the Secretary to Government, Revenue Department
(paras 1 to 3)

" Collector of South Kanara.

M.R.V./7-6-27.

7/6/27

13

P.W. & L.

Pumping - Mangalore - Gurpur river - Installation for irrigation - permission to one Thyampa Shenava -

—

[Cur. 6214 D/27] From the C.E. (I) No. 595/27-D-2 dy 6-4-27

—

ASST. SECRETARY TO GOVT.
12 APR 1927
REVENUE DEPARTMENT

C. No. 1614 B
12-4-27

The proposal may be accepted.

2. As there are no irrign. works in ch: of the P.W.D. in the Mangalore Taluq of the S. Kanara Dt. orders have to be issued in the Rev: Dept to whom the file may be transferred

11-4-27

10.4.27 11/4/27

Sec
11/4

Rev. u

w.no. 6214 D/27
11-4-27

Rev. Deptt.

B2
11.4.27
N 3.4 C]

To. W.S.

One Thyampa Shenava, a prominent ryot of Jenka Ulipadi village in the Mangalore Taluk requests permission to erect a pumping installation in his village for the purpose of pumping out water from the Gurpur river to irrigate both his lands and the lands in the possession of other ryots in the village.

~~Rule 2 of Appendix to G.O~~ (N)
~~No 290 (I) of 17-10-1919 has been~~
~~Complied with~~. The S.E says that the p 1 c.p
interests of the ryots lower down the
river will not be affected in any
way by the proposed installation of
the plant at the site suggested. The p 3 & 4 c.)
Collr. and the Board have no
objection to the sanction being given.

In his statement given to the pp 3-4 c.)
Collector on 18.11.26 the ryot Thyampa
Shenava has asked permission
to take water in this way "for
7 months from now until the
middle of May 1927". In his letter
to the Board of 9.1.27 the Collr. has
stated that it was proposed to instal
the pumping plant temporarily for
a period of about 6 months. It is
not known whether the sanction
is now to be granted till May 1927
or for 6 or 7 months. ~~It is submitted
that the monsoon begins about the
beginning of June and the proposed
pumping installation may not be of
use for irrigation~~

For orders whether the Board
may be asked to report on this point, and also

~~[illegible]~~ on the question as to what charge is to be made for the water taken. The ryot states that he was willing to pay for the water, and condition 9 of the form of agreement which the ryot will be required to execute says that the ryot is to pay for water at the rate that be fixed from time to time by the Govt.

P 4 C.F.

8 of (A) (R)

21.4.27

Ask the Board

(1) ~~For~~ ~~how long~~ During what months it is to be worked

(2) The charge to be made.

Also ask for a copy of the Collectors report. MMN

23.4.27

To U.S

Draft Submitted.

24.4.27

2/ The collectors report is on page 3 cf.

MMN 25.4.27

5.6.27

Issued as O.M No. 1614B/27-1 d/ 28.4.27

P.P. 11 c.f

From the Board of Rev. (L.R & S.) Rev. Mis. 16 d/ 6.6.27

To U.S.

reply to Govt. on Please see pages 1-11

F In the circumstances reported by the Board, it appears to be unnecessary to get an agreement in the form appended to G.O. No. 295 I/17.10.1919, as suggested by the C.E. The G.O. relates only to Pumping installations on the Godavari & Kistna rivers. The conditions similar to those specified in the Board's report on page 10 appear to be ample.

A draft order is submd. It may be sent to PW & L. for acceptance

15.6.27 27.6.27

S

9840-D
30 JUN 1927
2nd July

Rev. u.o 1614 B/
29/6/27

1.D

Note

The draft may be accepted subject to the following remarks:-

2.7.27

(i) It is observed from the copy of the statement of Thyanpa Sherana at p. 3-4 C.F. that the installation will be under the control of the Industries department & that he will have only control of the distribution of the water. The Collector also says that the Director of Industries proposes to use the plant for demonstration purposes. If considered it may perhaps be suggested to Revenue [illegible] p. 3 C.F.

On59

the draft so as to make this point clear.

(ii) As water is also to be distributed to lands belonging to others it is for consideration if some suitable agreement, though not in the form prescribed in G.O. No 295-I. dt 17.10.1919, should not be taken. It may be left to the Collector to get one executed by the ryot [illegible] on any terms to be settled by the Collector.

(R)

ML
2.7.27

The draft may be accepted in full.

PWS
6.7

Accepted
5/7

V.L.D. No No
9840 D/27-1
5.7.27

Rev Dept

S. 880 B/27
6.7.27

UNDER SECRETARY TO GOVERNMENT
-6.-JUL.-1927
REVENUE DEPARTMENT

To U.S.

Draft for approval

6.7.27
6.7

Issue
13.7.27

OO/
Circ. 13.7.27

Sectt. II-5 (5)—25,000—26-11-25. (6)

11
16/7/27

Rev DEPARTMENT

	Date.	Initials.
When received for Fair-copying.		
When copied ..	16/7/27	
When examined ..		
When signed ..	16/7	
When despatched ..		

READ AGAIN G.O. No.............................., dated..............................192

" " " " .... " 192

READ ALSO:—

C. No.............. From the CE (I) Eust, No. 595/27-B-2 dated 6·4· 1927.

" "............... " " Board of Rev LR+S Mis 1492 " 6. 6. 1927.

" "............... " " .... " .... " ....192 .

ORDER.

Mis.

No. 1367, dated 16 7 1927.

The Govt approve the proposal of the Board of Rev to permit Thyampa Shenava, a ryot of Thenka Ulipadi village in the Mangalore Tk of the South Kanara Dt, to instal a temporary pumping plant at 'Sadu Gundi' in that village, for a period of Six months, ~~for pumping out~~ in order to pump water from the Gurpur river on Conditions Similar to those Specified in the resolution of the Board of Rev read above

MMV
27.6.27

DP &
DPt

16.7.27

To The Board LR+SV

" PW & L with 1 copy of
BP Mis 1492/6.6.27